

Alberti

Live Tools

Selection Guide


KOMA PRECISION

For over thirty-five years Koma Precision has been the foremost source for the finest the world has to offer in machine tool Productivity Innovation.

With over 30,000 rotary table installations, Koma is the largest distributor of Tsudakoma NC rotary tables and indexers in the world. With over 12,000 angle heads and live tools installed, Koma is the world's largest supplier for Alberti - the originator and the foremost innovator of productivity tooling.




CUTEX 160 | CUTEX 180




STRAIGHT TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
MA-2.5	Standard	GH-44941-00	ER-25	-	6,000
MA-2.5 IC	Coolant Thru	GH-44942-00	ER-25	-	6,000



90° TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
M90-2.5	Standard	GH-44943-00	ER-25	25.1	6,000
M90-2.5 IC	Coolant Thru	GH-44944-00	ER-25	25.1	6,000



DUAL OUTPUT 90° TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
M90-2.5 2U	Standard	GH-44945-00	ER-25/25	25.1	6,000


Coolant Pressure = 70 Bar/1050 PSI • RPM = Maximum • Torque = Nm

ER-11 = 0.5-7mm • ER-16/ER-16A = 0.5-10mm • ER-20/ER-20A = 0.5-13mm • ER-25/ER-25A = 0.5-16mm • ER-32 = 1-20mm • ER-40 = 2-30mm

BMT-65 LATHE MACHINE




CUTEX 240 | HITECH 200 | HITECH 350
HITECH 450 | T2 | VT 450



STRAIGHT TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
MA-3.5	Standard	GH-45051-00	ER-32	-	6,000
MA-3.5 IC	Coolant Thru	GH-45052-00	ER-32	-	6,000




90° TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
M90-3.5	Standard	GH-45053-00	ER-32	45	6,000
M90-3.5 IC	Coolant Thru	GH-45054-00	ER-32	45	6,000



DUAL OUTPUT 90° TOOLS


Tool	Tool Type	GH Number	Output	Torque	RPM
M90-3.5 2U	Standard	GH-45055-00	ER-32/32	45	6,000



UNIVERSAL TOOLS


Tool	Tool Type	GH Number	Output	Torque	RPM
MCU-2.5	Standard	GH-45159-00	ER-25	45	6,000

HITECH 550 | VT 550 | VT 650



STRAIGHT TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
MA-4.5	Standard	GH-44946-00	ER-40	-	6,000
MA-4.5 IC	Coolant Thru	GH-44947-00	ER-40	-	6,000



90° TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
M90-4.5	Standard	GH-44968-00	ER-40	50	6,000
M90-4.5 IC	Coolant Thru	GH-44949-00	ER-40	50	6,000


Coolant Pressure = 70 Bar/1050 PSI • RPM = Maximum • Torque = Nm

ER-11 = 0.5-7mm • ER-16/ER-16A = 0.5-10mm • ER-20/ER-20A = 0.5-13mm • ER-25/ER-25A = 0.5-16mm • ER-32 = 1-20mm • ER-40 = 2-30mm

BMT-85 LATHE MACHINE




VT 950 | VT 1150



STRAIGHT TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
MA-5.0	Standard	GH-44951-00	ER-50	-	6,000
MA-5.0 IC	Coolant Thru	GH-44952-00	ER-50	-	6,000



90° TOOLS

Tool	Tool Type	GH Number	Output	Torque	RPM
M90-5.0	Standard	GH-44953-00	ER-50	100	6,000
M90-5.0 IC	Coolant Thru	GH-44954-00	ER-50	100	6,000

Coolant Pressure = 70 Bar/1050 PSI • RPM = Maximum • Torque = Nm

ER-11 = 0.5-7mm • ER-16/ER-16A = 0.5-10mm • ER-20/ER-20A = 0.5-13mm • ER-25/ER-25A = 0.5-16mm • ER-32 = 1-20mm • ER-40 = 2-30mm



Tel: 1.800.249.5662
Fax: 860.623.4132

info@komaprecision.com
www.komaprecision.com

20 Thompson Road
East Windsor, CT 06088